


Published: 10:16 EST, November 11, 2008

Optical illusions: caused by eye or brain?

By Lisa Zyga, [Medicine & Health / Research](#)

(Left) Isia Leviant's Enigma. Most viewers say the purple rings appear to fill with rapid illusory motion. (Right) A simplified version that the researchers used in the study. Most viewers report illusory motion lengthwise along the gray stripe. Image credit: Xoana G. Troncoso, et al. ©2008 PNAS.

[Click here to enlarge image](#)

When viewing the famous optical illusion painting *Enigma* by Isia Leviant, many people claim to see motion within the colored circles moving against the black and white striped background. Although this optical illusion has been known for a long time, its physiological origins are still unknown.

Sponsored Links (Ads by Google)

One Rule of Flat Stomach - [TracysDiet.com](#)
 Finally a Free Diet That Works! As Seen on CNN, NBC, & CBS News.

Right Or Left Brain Quiz - [www.LifeScript.com](#)
 Discover Your Thinking Style. Browse Our Fun, Free Quizzes Now.

Windows Brainstorm Tool - [www.mindapp.com](#)
 For Demanding Professionals. Samples and Demos. Free Trial!

For the past 200 years, researchers have debated whether the illusion of motion in a static image is caused by mechanisms in the eye, in the brain, or by a combination of both. Because measuring these kinds of physiological responses is difficult, no study has successfully measured direct and tightly timed correlations between a kinetic illusion and a physiological precursor.

But recently, a team of researchers from the Barrow Neurological Institute in Phoenix, Arizona, and the University of Vigo in Vigo, Spain, has found a direct correlation between illusory motion and microsaccades, which are tiny eye movements that involuntarily occur several times per second during visual fixation. Although the team hasn't determined the neural mechanism behind the correlation, the finding rules out the hypothesis that the origin of the kinetic optical illusion is purely cortical.

"These results revealed a direct link between the eye motions and the perception of illusory motion, and ruled out the hypothesis that the *Enigma* illusion originates solely in the brain," Susana Martinez-Conde, Director of the Laboratory of Visual Neuroscience at the Barrow Neurological Institute, told *PhysOrg.com*. "Our study provides a possible explanation for an entire family of visual illusions central to the fields of visual art and visual science. It would be quite unexpected if *Enigma* turned out to be the only motion illusion affected by eye movements."

In tests, the researchers tracked subjects' eye positions with a video-based eye movement monitor, while asking the subjects to release a button when they perceived fast movement, and press the button when they perceived slow to no movement (no illusion). The results showed that microsaccade rates increased shortly before subjects reported seeing fast movement. Conversely, microsaccade rates decreased shortly before subjects reported seeing slower movement.

These findings show a direct correlation between microsaccades and the perception of illusory motion, but the researchers also wanted to know if microsaccades might actually cause the illusion. To investigate this possibility, the team tested an alternative hypothesis: that, rather than microsaccades causing the illusion, the illusion causes both the microsaccades and subjects' perceived illusory motion (reported by pressing and releasing the button).

In this control test, subjects were shown real moving images and asked to indicate changes in motion. Results from the eye movement monitor showed that, unlike when viewing the static images, subjects' microsaccade rates did not increase before transitions to faster movement, nor did microsaccade rates decrease before transitions to slower movement. Further, microsaccade rates actually decreased after a change in motion, whether faster or slower. These findings show that perceptual motion changes do not cause changes in microsaccade rate, answering the first part of the alternative hypothesis.

From this data, the researchers could also determine the time delay between the actual change in motion and the subjects' reported change in motion, which was about 520 microseconds. Because the measured changes in microsaccade rates occurred about 740 microseconds before this reported change, the researchers concluded that microsaccades may potentially drive the illusion, but not the other way around.

If microsaccades do indeed drive the *Enigma* illusion, future research will still need to investigate whether the cause is direct or indirect, and what neural mechanisms may be at its root. In previous studies, researchers have proposed a few possibilities based on the idea of "phi movement," which is the illusion of apparent motion caused by switching off one stimulus and immediately turning on another in close proximity.

For example, microsaccades may cause parts of the image to shift, which could cause the black and white lines to continuously reverse, resulting in phi movement. Another possibility is that microsaccades may displace after-images of the black and white stripes, also causing phi movement. A more complex eye-brain explanation is also possible, and the researchers will continue investigating this intriguing illusion.

Sponsored Links (Ads by Google)

Visual Perception
 Huge selection of Visual Perception items.
[Yahoo.com](#)

Web Design
 The Art Institute of Colorado - Get Info on the Web Design Program.
[www.artinstitutes.edu](#)

Portable Folding Boats
 Revolutionary Boat Design Folds to 4 Inches Flat! Eliminate Trailers.
[www.Porta-Bote.com](#)

the visual illusion.

"The findings from our recent study may moreover help us to understand the neural mechanisms underlying motion perception, both in the normal brain, and in patients with brain lesions that affect the perception of motion," she said. "Also, they could help design future neural prosthetics for patients with brain damage."

More information: Troncoso, Xoana G.; Macknik, Stephen L.; Otero-Millan, Jorge; and Martinez-Conde, Susana. "Microsaccades drive illusory motion in the Enigma illusion." *Proceedings of the National Academy of Sciences*, October 14, 2008, vol. 105, no. 41, 16033-16038.

Copyright 2008 PhysOrg.com.

All rights reserved. This material may not be published, broadcast, rewritten or redistributed in whole or part without the express written permission of PhysOrg.com.

Toolbox

- Rating: 4.3
- [Bookmark](#)
- [Save as PDF](#)
- [Print](#)
- [Email](#)
- [Blog It](#)
- [Stumble It!](#)
- [Digg It](#)
- [Facebook](#)
- [Twitter](#)
- [LinkedIn](#)
- [Google+](#)
- [YouTube](#)
- [RSS](#)
- [Gmail](#)
- AA A+

Physorg Account

- [Profile](#)
- [Favorites](#)
- [Activity](#)
- [PM](#)
- [My news](#)
- [Sign in](#)

Video

[Editorials](#)

[Free Magazines](#)

[Free White Papers](#)

[Newsletter](#)

News Archive

- [Advanced Search](#)
- [Goto Archive](#)
- [Suggest a story idea](#)
- [Send feedback](#)

Relevant Stories

Nov 20, 2008 - **Barrow scientists solve 200-year-old scientific debate involving visual illusions**

Mar 16, 2008 - **Researchers discover second depth-perception method in brain**

Apr 13, 2006 - **Virtual reality gets real**

Nov 09, 2008 - **Simple brain mechanisms explain arbitrary human visual decisions**

Sep 23, 2008 - **In radiation 'ventriloquism,' electromagnetic waves travel backwards**

Jul 23, 2008 - **Age-old magic tricks can provide clues for modern science**

Jul 17, 2008 - **Scientists create touch-based illusion**

May 16, 2008 - **Sight Recovery After Blindness Offers New Insights on Brain Reorganization**